

# INDEX MAPS.

## T.14N R.4W 2<sup>nd</sup> Mer.

	199	199	199	198	198	198						
201	6	225	5	220	4	215	3	211	2	206	1	197
	<del>227</del>	<del>224</del>	<del>220</del>	<del>215</del>	<del>210</del>	<del>206</del>						
201	7	224	8	219	9	214	10	210	11	205	12	197
	<del>226</del>	<del>223</del>	<del>219</del>	<del>214</del>	<del>209</del>	<del>205</del>						
201	18	223	17	218	16	213	15	209	14	204	13	197
	<del>226</del>	<del>223</del>	<del>218</del>	<del>213</del>	<del>209</del>	<del>204</del>						
200	19	222	20	217	21	213	22	208	23	203	24	197
	<del>226</del>	<del>222</del>	<del>217</del>	<del>212</del>	<del>208</del>	<del>203</del>						
200	30	220	29	216	28	212	27	207	26	203	25	196
	<del>225</del>	<del>220</del>	<del>216</del>	<del>211</del>	<del>207</del>	<del>202</del>						
200	31	220	32	216	33	211	34	207	35	202	36	196
	<del>194</del>	<del>193-194</del>	<del>193-195</del>	<del>193-195</del>	<del>193-195</del>	<del>193-195</del>						

## T.15N R.4W 2<sup>nd</sup> Mer.

	234		233		233		233		233		232	
236	6	258	5	253	4	249	3	245	2	240	1	232
	260		257		253		248		244		240	
235	7	257	8	252	9	248	10	244	11	239	12	232
	259		256		252		248		242		239	
	<del>259</del>											
235	18	256	17	252	16	247	15	242	14	238	13	231
	259		256		252		247		243		238	
235	19	255	20	251	21	246	22	242	23	238	24	231
	259		255		250		246		242		237	
234	30	254	29	250	28	246	27	241	26	237	25	231
	258		254		250		245		241		236	
234	31	254	32	249	33	245	34	241	35	236	36	231
	230		230		230		229		229		229	

The figures on the lines refer to the page.

Township N. 14 North of Range N. 4 West 2nd Mer. Sec.  
Ch. 1. 14.

South Boundary

V. 555

Q. 83

July 10 1819

West On a Random line On the South Boundary of Sec. 36  
T. N. 14. N. R. N. 4 W.

150 To a Brook 50 links wide, Course S. W.

40.00 Set a stump  $\frac{1}{4}$  sec. post

68.00 To a Brook 40 links wide, Course S.

80.00 Set a stump  $\frac{1}{4}$  post for the cor. of Sec. 35 & 36.

Land for rolling and goods for farming; Timber Buck  
Engay, Ash, Oak, Hickory &c

West On a Random line On the South Boundary of Sec. 35  
T. N. 14. N. R. N. 4 W.

40.00 Set a stump  $\frac{1}{4}$  sec. post.

80.00 " " " post for the cor. of Sec. 34 & 35

Land same as last mile

West On a Random line On the South Boundary of Sec. 34  
T. N. 14. N. R. N. 4 W.

6.00 To a Brook 5 links wide, Course S.

40.00 Set a stump  $\frac{1}{4}$  sec. post

80.00 Set a stump  $\frac{1}{4}$  post for the cor. of Sec. 33 & 34

Land same as last mile.

West On a Random line On the South Boundary of Sec. 33.

40.00 Set a stump  $\frac{1}{4}$  sec. post T. N. 14. N. R. N. 4 W.

50.00 To a Brook 8 links wide, Course South

62.00 To a Brook 15 " " " South

80.00 Set a stump  $\frac{1}{4}$  post for the cor. of Sec. 32 & 33.

Land for rolling and timber same as last mile

West On a Random line On the South Boundary of Sec. 32  
T. N. 14. N. R. N. 4 W.



194

T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Ind<sup>y</sup>

33.00 To a Brook 12 links wide, Course S.  
 40.00 Set a trumpet 1/4 sec. post  
 80.00 To a Brook 5 links wide, Course S.  
 80.00 Set a trumpet post for the cor. of sec. 31 & 32  
 Same same as last mile.

West On a Random line On the South Boundary of Sec. 31.  
 T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 4 W.  
 40.00 Set a trumpet 1/4 sec. post  
 61.00 Contact the N & S line 23 links North of the Empty  
 Township Cor. for T. N<sup>o</sup> 13 & 14 N.R. 4 & 5 W.  
 Same same as last mile.

East On a true line On the South Boundary of Sec. 31.  
 T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 4 W. N. 5° 55' a. 96  
 21.00 Set the trumpet post on the true line for the cor. of 1/4 sec.  
 from which a Buck. 12 in. dia. bears S 77 W. 10 links dish  
 and a Co. 8 " " " S 64 E. 32 " "  
 61.00 Set the trumpet post on the true line for the cor. of sec. 31 & 32  
 from which a Buck. 8 in. dia. bears N 14 E. 25 links dish  
 and a Engw. 14 " " " S 24 W. 3 " "

East On the true line on the South Boundary of sec. 32.  
 T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 4 W.  
 40.00 Set the trumpet post at the true line for the cor. of 1/4 sec.  
 from which a Buck. 20 in. dia. bears N 69 E. 10 links dish  
 and a Do. 4 " " " S 77 W. 10 " "  
 64.00 To a Brook 10 links wide, Course S.  
 79.50 " " " " " " " N  
 80.00 Set the trumpet post on the true line for the cor. of sec. 32 & 33  
 from which a Buck. 15 in. dia. bears N 27 W. 16 links dish  
 and a Co. 20 " " " East 35 " "

195

T. N<sup>o</sup> 14. N.R. N<sup>o</sup> 47. 2<sup>nd</sup> Mer. Sud.

East On the true line on the South Boundary of Sec. 33.  
T. N<sup>o</sup> 14. N.R. N<sup>o</sup> 47.

26.00 To a Brook 10 links wide, Course S.

40.00 Set the temporary post on the true line for the cor. of 1/4 Sec. from  
which a Beech 9 in. dia. bears East 9 links dish; and  
a W. Ash 6 " " " N 39 W. 40 " "

80.00 Set the temporary post on the true line for the cor. of Sec. 33 & 34  
from which a Beech 10 in. dia. bears N 68 W. 7 links dish  
and a Do. 10 " " " S 39 E. 18 " "

East On a true line on the South Boundary of Sec. 34.  
T. N<sup>o</sup> 14. N.R. N<sup>o</sup> 47.

20.00 To a Brook 8 links wide, Course South.

40.00 Set the temporary post on the true line for the cor. of 1/4 Sec.  
from which a Sugar 12 in. dia. bears S 80 W. 30 links dish;  
and a Do. 12 " " " S 62 E. 8 "

60.00 To a Brook 10 links wide, Course S.

70.00 " " Do. 5 " " " S.

80.00 Set the temporary post at the above dish on the true line for the  
cor. of Sec. 34 & 35 from which a  
Sugar, 24 in. dia. bears S 38 W. 15 links dish; and a  
Do. 10 " " " N 58 E. 5 " "

East On a true line on the South Boundary of Sec. 35  
T. N<sup>o</sup> 14. N.R. N<sup>o</sup> 47.

40.00 Set the temporary post at the true line for the cor. of 1/4 Sec.  
from which a Sugar 9 in. dia. bears N 27 W. 6 links dish  
and a Do. 18 " " " S 60 W. 20 " "

80.00 To a 19 Oak 30 in. dia. which stands for the cor. of  
Sec. 35 & 36. on the true line

East On the true line on the South Boundary of Sec. 36  
T. N<sup>o</sup> 14. N.R. N<sup>o</sup> 47

T. N. 14. N.R. N. 47. 2<sup>nd</sup> Mer Sec 7

- 40.00 Made the Corner of 1/4 Sec. on a R. Walnut 30 in. dia<sup>s</sup> which stands on the true line
- 70.00 To a Creek 70 links wide, Corner S.W.
- 86.00 Set a post for the cor. of sec. 4 & 31 & 36. T. N. 13. & 14 N. R. N. 3. & 4 W. 234 links South of the township Township Corner. from which a
- Beck 30 in. dia<sup>s</sup> bears N 10 E 30 links dist; and a
- W. 5 " " " S 37 W. 10 " "

## East Boundary June 21. 1819 N. 6 20'

- North On the East Boundary of sec. 36. T. N. 14. N.R. N. 47
- 7.00 To a Creek 70 links wide, Corner S.W.
- 29.50 To a Brook 8 links wide, Corner S.E.
- 40.00 Set a 1/4 Sec. post from which a
- Beck 14 in. dia<sup>s</sup> bears N 75 E 4 links dist; and a
- Log 18 " " " S 67 W 17. " "
- 80.00 To a brook 6 links wide, Corner E.
- 80.00 Set a post for the cor. of sec. 25 & 36 from which an
- Old 24 in dia<sup>s</sup> bears S 37 W. 25 links dist; and a
- Iron 4 " " " N 45 W. 7. " "
- Good farming lands.

- North On the East Boundary of Sec 25. T. N. 14. N.R. N. 47
- 17.00 To a Brook 10 links wide, Corner S.E.
- 40.00 Set a 1/4 Sec. post from which a
- Sugar 11 in. dia<sup>s</sup> bears N 40 W. 5 links dist; & a
- Maple 18 " " " S 55 E 36. " "
- 47.00 To a Brook 10 links wide, Corner S.E.
- 80.00 Set a post for the cor. of sec. 24 & 25 from which a
- Sugar 5 in. dia<sup>s</sup> bears S 21 E. 19 links dist; and a
- Beck 8 " " " N 46 E. 19 " "
- Land rolling and good for farming; Timber Beck
- Sugar, Oak, Hick, Poplar &c

197

T. N<sup>o</sup> 14. N. R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. End

North On the East Boundary of Sec. 24 T. N<sup>o</sup> 14. N. R. 4 W.  
 14.00 To a Brook 8 links midw, Course E.  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Beech 5 in. dia: bears N 67 E. 13 links dist; and a  
 Buckeye 6 " " " " 469 N. 14 " "  
 60.00 To a Brook 10 links midw, Course S E.  
 80.00 Set a post for the cor. of sec. 13 & 24 from which a  
 Beech 18 in. dia: bears S 46 E. 16 links dist; and a  
 Do. 9 " " " " N 53 E. 14 " "  
 Land same as last mile.

North On the East Boundary of Sec. 13 T. N<sup>o</sup> 14. N. R. 4 W.  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Beech 24 in. dia: bears S 15 E. 37 links dist; and a  
 Sugar. 5 " " " " N 50 W. 24 " "  
 80.00 Set a post for the cor. of sec. 12 & 13 from which a  
 Sugar 12 in. dia: bears S 8 E. 11 links dist; and a  
 Do. 8 " " " " N 49 E. 22 " "  
 Land good and good for farming; North  $\frac{1}{2}$  very  
 rich; Timber same as last mile; Some Walnut & Buckeye

North On the East Boundary of Sec. 12 T. N<sup>o</sup> 14. N. R. 4 W.  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Beech 18 in. dia: bears S 14 E. 7 links dist; and a  
 Sugar. 9 " " " " S 67 W. 6 " "  
 65.00 To a Brook 8 links midw, Course N. W.  
 75.00 " " Do. 12 " " " " N. W.  
 80.00 Set a post for the cor. of sec. 1 & 12 from which a  
 Beech 9 in. dia: bears N 72 E. 9 links dist; and a  
 Sugar. 9 " " " " N 74 W. 25 " "  
 Good farming land; Timber same as last mile

North On the East Boundary of Sec. 1. T. N<sup>o</sup> 14. N. R. 4 W.



T. N<sup>o</sup> 14. N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Ind. 2

17.00 To a Brook 10 links wide, Course N.W.  
 21.00 To a Spring branch Course W.  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Sugar. 14 in. dia: bears N 36 E. 15 links dist; & a  
 Do. 8 " " " S 76 W. 8 " "  
 80.00 Set a temporary post for the cor. of Towns. N<sup>o</sup> 14 & 15  
 N.R. N<sup>o</sup> 3 & 4 W.  
 77.87 To Township corner. Land same

### North Boundary

r. 55.5

Q. 123

West On the South Boundary of sec. 36. T. N<sup>o</sup> 15 N.R. 4 W.  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Willow 8 in. dia: bears N 11 E. 8 links dist; and a  
 Do. 8 " " " S 81 E. 8 " "  
 40.00 To a Brook 100 links wide, Course S.  
 80.00 Set a post for the cor. of sec. 35 & 36 from which a  
 Beech. 10 in. dia: bears S 65 E. 27 links dist; & a  
 Sugar. 18 " " " S 78 W. 25 " "  
 Land all bottom; very rich; some part overflows.

West On the South Boundary of sec. 35 T. N<sup>o</sup> 15 N.R. 4 W.  
 5.00 To a dry branch; 20 links wide, Course S.  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Beech 10 in. dia: bears N 13 W. 19 links dist; & a  
 Do. 9 " " " S 12 W. 11 " "  
 60.00 A Spring 5.00 ch: North; Course E.  
 80.00 Set a post for the corner of sec. 34 & 35 from which a  
 Hickory 14 in. dia: bears N 55 E. 16 links dist; & a  
 Sugar 8 " " " S 38 E. 9 " "  
 Land part rolling and part level; and good  
 for farming; Timber Oak, Beech, Ash, Sugar.

West On the South Boundary of sec. 34 T. N<sup>o</sup> 15 N.R. 4 W.



June 29. 1819

40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Sugar. 7 in. dia. bears S 77 E. 31 links dist; & a  
 Elm 5 " " " N 48 W. 12 " "  
 47.00 To a Brook 8 links mid, Course S.  
 75.00 " " Do. 10 " " " S. W.  
 80.00 Set a post for the cor. of sec. 33 & 34 from which a  
 Buck 9 in. dia. bears N 73 E. 4 links dist; and a  
 Sugar. 9 " " " S 29 W. 18 " "  
 Sand soil and timber same as last mile

West On the South Boundary of sec. 33 T. N. 15 N.R. 4 W.  
 17.00 To a Brook 15 links mid, Course S.  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Sugar 10 in. dia. bears S 87 E. 26 links dist; & a  
 Do. 4 " " " West 34 "  
 80.00 Set a post for the cor. of sec. 32 & 33. from which a  
 Sugar. 12 in. dia. bears N 31 E. 21 links dist; and a  
 Do. 11 " " " " S 53 W. 15 " "  
 Sand soil and timber same as last mile.

West On the South Boundary of sec. 32 T. 15 N.R. 4 W.  
 12.50 To a Spring branch; 5 links mid, Course N.  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Elm 9 in. dia. bears N 62 W. 10 links dist; & a  
 Buck. 18 " " " S 86 E. 6 " "  
 71.00 To a Brook. 10 links mid, Course N.  
 80.00 Set a post for the cor. of sec. 31 & 32 from which a  
 Ironwood 8 in. dia. bears N 4 E. 11 links dist; & a  
 Buck. 12 " " " " S 80 E. 30 " "  
 Sand soil and timber same as last mile.

West On the South Boundary of sec. 31 T. 15 N.R. 4 W.

## T. P. 14 N. R. N. 4 W. 2nd Mer. Ind.

24.00 To a Brook 30 links wide, Course S.  
 40.00 Set a 74 cu. post from which a  
 Buckeye 9 in. dia. bears N 70 E. 8 links dist; to  
 a Buck 10 " " " S 51 W. 30 " "  
 58.04 Intersected the N & S Range line 46 links North  
 of the temporary Township Cor. and set a post for the  
 cor. of Twp. N. 14. & 15 N. R. N. 4 & 5 W. from which a  
 Sugar. 18 in. dia. bears S 22 E. 18 links dist; and a  
 Buck. 11 " " " N 13 W. 28 " "  
 Land same as last mile.

## West Boundary v. 625

North On the East Boundary of Sec. 36 T. 14. N. R. 5 W.  
 40.00 Set a 74 cu. post from which a  
 Buck. 8 in. dia. bears N 77 E. 8 links dist; and a  
 Walnut 6 " " " S 20 W. 22 " "  
 80.00 Set a post for the cor. of Sec. 25 & 36 from which a  
 Buck. 30 in. dia. bears S 34 E. 48 links dist; to  
 a Hick. 10 " " " N 31 W. 27 " "  
 Land rather broken; North 1/2 very rich and good  
 for farming; Timber blown down by high winds

North On the East Boundary of Sec. 25. T. 14. N. R. 5 W.  
 40.00 To a Brook 50 links wide, Course S. W.  
 40.00 Set a 74 cu. post from which a  
 Buckeye 12 in. dia. bears N. 87 E. 29 links dist;  
 48.00 To a Brook 150 links wide, Course S. W.  
 80.00 Set a post for the cor. of Sec. 24 & 25 from which a  
 Buck. 24 in. dia. bears S 56 E. 30 links dist; to a  
 Do. 4 " " " N 49 W. 17 " "  
 Land similar; North (1/2) creek bottom

North On the East Boundary of Sec. 24 T. 14. N. R. 5 W.

N. No. 14. N.R. No. 47. 2<sup>nd</sup> Mer. Ind.

- 40.00 Set a  $\frac{1}{4}$  cu. post from which a  
Beck. 6 in. dia<sup>r</sup> bears N 31 E. 15 links dist; & a  
D. 27 " " " S 71 W. 19 " "
- 50.00 To a Brook 10 links side, Corner W.
- 80.00 Set a post for the cor. of Sec. 13 & 24 from which a  
Sugar. 5 in. dia<sup>r</sup> bears S 45 W. 4 links dist; & a  
Beck. 10 " " " N 33 E. 32 " "  
Land rolling and middling good for farming  
Timber Beck, Sugar, Oak & Ash.

- North On the East Boundary of Sec. 13 T14. N.R. 5 W
- 38.00 To a Brook 4 links side, Corner S.E.
- 40.00 Set a  $\frac{1}{4}$  cu. post from which a  
Beck. 8 in. dia<sup>r</sup> bears N 26 W. 6 links dist; and a  
D. 18 " " " S 53 E. 16 " "
- 59.00 To a Brook. 10 links side, Corner S.E.
- 80.00 Set a post for the cor. of Sec. 12 & 13 from which a  
Walnut 8 in. dia<sup>r</sup> bears North 10 links dist; and a  
D. 8 " " " S 20 E 14 " "  
Land Soil and timber same as last mile.

- North On the East Boundary of Sec. 12 T14. N.R. 5 W
- 40.00 Set a  $\frac{1}{4}$  cu. post from which a  
Walnut 15 in. dia<sup>r</sup> bears N 3 E. 11 links dist; & a  
Beck. 30 " " " S 10 W. 15 " "
- 80.00 Set a post for the cor. of Sec. 1 & 12 and made the  
Corner on a Sugar. 18 in. diam<sup>r</sup>.  
Land rolling or rather broken and good for farm-  
ing; Timber same as last mile.

- North On the East Boundary of Sec. 1. T14. N.R. 5 W.
- 40.00 Set a  $\frac{1}{4}$  cu. post from which a  
Amur oak 6 in. dia<sup>r</sup> bears S 3 E. 20 links dist; & a

## T. N. 14 N. R. N. 4 W. 2nd Mer. Ind.

47.00 S. Oak 9 in. dia. bears. N 33 E. 16 links dist;  
 To a Brook 15 links wide, Course West  
 80.46 To the cor of T. N. 14 & 15 N. R. 4 & 5 W.  
 Same soil and timber same as last mile.

Surveyed by  
 William Harris L.S.

## Subdivisions

North Between Sec. 35 & 36. T. N. 14. N. R. 4 W.  
 5.50 To a Brook. 24 in. dia. Stands in the line  
 11.50 " " Brook 30 links wide, Course S.E.  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Sugar. 12 in. dia. bears N 84 W. 31 links dist; and a  
 Hornbeam " " " S 45 W. 18 " "  
 44.00 To a Brook. 10 links wide, Course S.E.  
 51.50 " " Brook. 24 in. dia. Stands in the line.  
 80.00 Set a post for the cor. of sec. 25, 26, 35 & 36 from which a  
 Sugar. 10 in. dia. bears. N 30 W 9 links dist; & a  
 Elm. 18 " " " South 11 " "  
 Same R.  $\frac{1}{2}$  mile rolling 2nd rate; 2nd & 3rd level 2nd  
 rate; Timber Birch, Sugar, W. Oak, Ash, &  
 undergrowth Spice. &c

East On a Random line between Sec. 25 & 36 T. N. 14 R. 4 W.  
 40.00 Set a temp.  $\frac{1}{4}$  sec. post  
 77.80 Intersect the East Boundary 208 links North of the  
 post cor of sec. 25 & 36.  
 Same land and 2nd rate; Timber Birch, W. Oak & Su-  
 gar Undergrowth Spice. &c

West On the true line between Sec. 25 & 36 T. N. 14 R. 4 W.  
 38.90 Set the temp.  $\frac{1}{4}$  post at the aver. dist. on the true line  
 for the cor. of  $\frac{1}{4}$  sec. from which a



## T. R. 14. S. R. No. 4 W. 2nd Mer. Sud?

77.80 Buck 12 in. dia. beam 160 W. 14 links dish; and a  
 Do. 12 " " " S 39 E. 18 " "  
 To the post cor. of sec. 25, 26, 35 & 36.

North  
 13.50 Return Sec. 25 & 26 T. 14. S. R. 4 W.  
 40.00 To an Elm 24 in. dia. stands in the line  
 Set a 74 cu. post from which a  
 Buck 10 in. dia. beam N 84 W. 8 links dish; and a  
 Do. 12 " " " N 3 E. 30 " "  
 58.57 To a Hickory 18 in. dia. in the line.  
 80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which a  
 Buck 12 in. dia. beam N 39 E. 37 links dish; and a  
 Do. 26 " " " N 78 E. 10 " "  
 Lande level and 2nd rate; Timber W. & R. Oak  
 Buck, Sugar & Hickory; underg<sup>th</sup> Spruce.

East  
 40.00 On a Kernerum line between Sec. 24 & 25 T. 14. S. R. 4 W.  
 76.50 Set a timber 74 cu. post  
 Entered the East Boundary 265 links North  
 of the post corner of sec. 24 & 25  
 Lande level and good 2nd rate; Timber Buck, Su-  
 gar, W. Oak, Poplar, &c underg<sup>th</sup> Spruce.

West  
 38.25 Corrected the line between Sec. 24 & 25 T. 14. S. R. 4 W.  
 Set the temporary post at the aver. dish on the true line  
 for the cor. of 74 cu. from which a  
 Sugar 12 in. dia. beam S 76 E. 18 links dish; and  
 Do. 10 " " " N 38 W. 20 " "  
 76.50 To the East corner of sec. 23, 24, 25, & 26.

North  
 14.20 Return Sec. 23 & 24 T. 14. S. R. 4 W.  
 40.00 To a Poplar 40 in. dia. in the line  
 Set a 74 cu. post from which a



## T. N. 14. N. R. N. 4 West 2nd Mer. And

Beech. 28 in. dia. bears N 144 W. 17 links dish; and a  
 Do 18 " " " N 50 E. 24 " "  
 65.50 To an Elm 18 in. dia. in the line.  
 80.00 Set a post for the cor. of Sec. 13, 14, 23, & 24 from which are  
 Ash. 30 in. dia. bears N 154 W. 4 links dish; and a  
 Beech. 10 " " " West 6 " "  
 Lands R. 1/2 mile land 2nd rate; 2nd 1/2 land York  
 2nd rate; Timber W. Oak, Beech, Sugar, Sugar,  
 Poplar, maple, Spruce &c

Cash Quad Random line between Sec. 13 & 24 T. 14 N. R. 4 W.  
 40.00 Set a temporary post  
 75.32 Entered the East Boundary 358 links North of  
 the post corner of Sec. 13 & 24  
 Lands land and goods 2nd rate; Timber Beech, Ash,  
 W. Oak, & Sugar. Under the Spruce &c

West Corrected the line between Sec. 13 & 24 T. 14 N. R. 4 W.  
 37.66 Set the temporary post at the aver. dish on the true line for  
 the cor. of 1/4 Sec. from which are  
 Ash 12 in. dia. bears S 67 W. 31 links dish; and a  
 Sugar. 10 " " " S 61 W. 18 " "  
 75.32 To the post cor. of Sec. 13, 14, 23, & 24

North Between Sec. 13 & 14 T. N. 14. N. R. N. 4 W.  
 11.50 To a Beech. 24 in. dia. stands in the line  
 40.00 Set a 1/4 Sec. post from which are  
 Beech. 30 in. dia. bears N 27 E. 6 links dish; and  
 Sugar. 10 " " " N 36 W. 25 " "  
 64.75 To an Elm 24 in. dia. stands in the line  
 76.00 To a Brook. 8 links wide, corner N. W.  
 80.00 Set a post for the cor. of Sec. 11, 12, 13, & 14 from which  
 Sugar. 18 in. dia. bears S 15 W. 24 links dish; and a

T. N. 14. N. R. N. 4 W. 2<sup>nd</sup> Mer. Sud.

	<p>Sugar. 14 in. dia. bear N 15 E. 31 links dish;          Lande R. 1/2 mile level 2<sup>nd</sup> rate; 2<sup>nd</sup> 1/2 mile rolling          grade 2<sup>nd</sup> rate; Limbu Buck, Sugar, Elm, W. Oak,          Walnut, B. Ash, &amp;c. Undergth. Spruce.</p>
East	On a Random line between Sec. 12 & 13. T. N. 14. N. R. 4 W.
5.00	To a Brook 6 links wide, Corner N. W.
10.25	Spring " " N. W.
40.00	Set a <sup>Spring</sup> <sup>4</sup> / <sub>16</sub> sec. post.
77.50	Into Sec. 12 the East Boundary. 229 links North of the post corner of Sec. 12 & 13. Lande rolling and grade 2 <sup>nd</sup> rate; Limbu Walnut Su- gar, Buck, B. Ash, & W. Oak, undergth Spruce.
West	On the true line between Sec. 12 & 13. T. N. 14. N. R. 4 W.
38.75	Set a 1/4 sec. post at the aver. dish on the true line from which a B. Ash. 11 in. dia. bears N 38 W. 15 links dish; and a B. Ash. 6 " " S 4 E. 18 " "
77.50	To the post corner of Sec. 11. 12. 13. & 14.
North	Between Sec. 11 & 12 T. N. 14. N. R. N. 4 W.
5.00	To a Brook 6 links wide Corner West
6.25	To a Sugar 12 in. dia. stands in the line
14.50	To a Brook 6 links wide, Corner West
40.00	Set a 1/4 sec. post from which a Hickory 10 in. dia. bears S 35 W. 2 links dish; & a Buck 14 " " " N 46 E. 28 " "
43.75	To a Brook 6 links wide, Corner West
56.00	To a Sugar. 18 in. dia. in the line
80.00	Set a post for the cor. of Sec. 12, 11 & 13 from which a Sugar. 7 in. dia. bears N 54 W. 8 links dish; and a Buck 10 " " " S 48 E. 30 " " Lande rolling and 2 <sup>nd</sup> rate; Limbu Buck, Walnut Sugar W. Oak. &c. Undergth Spruce.

T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 4 West 2<sup>nd</sup> Mer. Sur<sup>y</sup>

East On a Random line between Sec. 1 & 12 T. 14 R. 4 W.  
 40.00 Set a temporary 74 sec post  
 67.00 To a Brook 8 links wide Corner N.W.  
 73.50 " " " 5 " " " N.W.  
 76.00 To a spring branch Corner N.W.  
 78.00 Intersected the East Boundary 219 links North  
 of the corner of Sec. 1 & 12  
 Land rolling and 2<sup>nd</sup> rate; Timber Birch,  
 W. Oak, Sugar, Elm &c, undergrowth Spice, &c

West On the true line between Sec. 1 & 12 T. 14 N.R. 4 W.  
 39.00 Set the temporary post at the aver. dist on the true line  
 for the cor. of 74 sec. from which a  
 Hickory 20 in. dia. bears N 54 W. 30 links dist; to a  
 Birch 20 " " " S 77 E. 25 " "  
 78.00 To the corner of Sec. 1 & 2 N. 12

North Between Sec. 1 & 12 T. 14 N.R. 4 W.  
 11.50 To a Sugar 18 in. dia. stands in the line  
 18.00 To a Creek 100 links wide; Corner S.W.  
 40.00 Set a 74 sec post from which a  
 Walnut 10 in. dia. bears N 61 W. 17 links dist; to a  
 Buckeye 10 " " " S 29 W. 19 " "  
 66.50 To an Elm 20 in. dia. stands in the line  
 77.42 Intersected the N. Boundary 132 links East of the post  
 corner of Sec. 35 & 36. T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 4 W. and set  
 a post for the cor. of Sec. 1 & 2 from which a  
 Sugar 10 in. dia. bears S 27 W. 19 links dist; and a  
 Sugar 18 " " " N 27 W. 8 " "  
 Land on the N. 1/2 mile part rolling good 2<sup>nd</sup> rate  
 2<sup>nd</sup> & 3<sup>rd</sup> Bottom N. 1<sup>st</sup> rate; Timber Birch, Sugar,  
 B. Walnut, Ash, Hackberry &c undergrowth Spice  
 Saw paw.

T. N. 14. N. R. N. 4 W. 2<sup>nd</sup> Mer. Ind.

North Return Sect. 34 & 35 T. N. 14. N. R. N. 4 W.  
 26.30 To a Buck 15 in. dia. stands in the line.  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
     8 in. dia. bear N 74 W. 41 links dist; to  
     Sugar. 13 " " " N 65 E. 39 " "  
 62.90 To a Buck 20 in. dia. in the line.  
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which  
     a Hickory 10 in. dia. bear S 87 E. 15 links dist; &  
     a W. Oak. 20 " " " S 35 W. 9 " "  
     Lands rolling and 2<sup>nd</sup> rate; Timber Buck, Sugar  
     & W Oak; undergrowth Spruce.

East On a Random line between Sect. 26 & 35 T. 14 N. 4 W.  
 000 To a Brook 25 links wide, Course South  
 40.00 Set a temp.  $\frac{1}{4}$  sec. post.  
 80.34 Intersect the N 15 line 35 links South of the post  
     cor. of sec. 25, 26, 35 & 36  
     Lands level and 2<sup>nd</sup> rate; Timber Buck, Sugar,  
     and W Oak.

West On the true line between Sect. 26 & 35 T. 14 N. 4 W.  
 40.17 Set the temp. post at the av. dist in the true line  
     for the cor. of  $\frac{1}{4}$  sec. from which a  
     Buck 27 in. dia. bear N 25 W. 10 links dist; to  
     Do. 10 " " " S 26 W. 31 " "  
 80.34 To the first corner of sec. 26, 27, 34 & 35

North Return Sect. 26 & 27 T. N. 14. N. R. N. 4 W.  
 5.50 To a Brook 10 links wide, Course East  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
     W. Walnut 4 in. dia. bear. N 59 E. 14 links dist; to  
     Sugar. 6 " " " S 40 W. 24 " "  
 61.50 To a Buck 24 in. dia. in the line.



T. N. 14. N. R. N. 4 W. Q<sup>nd</sup> Mer Ind.

80.00 Set a post for the cor. of Sec. 22, 23, 26, & 27 from which  
 B. Ash 12 in. dia. bears N 64 E. 10 links dist; and a  
 Beech 10 " " " N 61 W. 20. " "  
 Sand rolling and 2<sup>nd</sup> rate; Timber Beech, Sugar,  
 Ash, & W Oak; undergrowth Spruce.

East On a Random line between Sec. 23 & 26 T. 14 R. 4 W.  
 35.25 To a Brook 20 links wide, Corner S. W.  
 40.00 Set a temporary post  
 80.50 Intersect the N 13 line 37 links South of the first  
 corner of Sec. 23, 24, 25 & 26  
 Sand rolling and 2<sup>nd</sup> rate; Timber Beech, Sugar  
 and W. Oak; undergrowth Spruce.

West On the true line between Sec. 23 & 26. T. 14 R. 4 W.  
 40.25 Set the temporary post at the av. dist. on the true line  
 for the cor. of 1/4 Sec. from which a  
 Spruce 20 in. dia. bears S 50 E. 27 links dist; and a  
 Beech 15 " " " N 53 W. 31 " "  
 80.50 To the post cor. of Sec. 22, 23, 26, & 27.

North Return Sec. 22, & 23. T. N. 14 N. R. 4 W.  
 21.10 To a Sugar. 20 in. dia. stands on line.  
 40.00 Set a 1/4 Sec. post from which a  
 Beech 10 in. dia. bears S 57 W. 19 links dist; and a  
 Sugar 12 " " " N 87 E. 11 " "  
 61.06 To a Sugar. 15 in. dia. stands on the line  
 80.00 Set a post for the cor. of Sec. 14, 15, 22, & 23 from which  
 a W. Walnut 20 in. dia. bears S 26 W. 11 links dist;  
 & a Hickory 10 " " " N 43 E. 29 " "  
 Sand rolling and 2<sup>nd</sup> rate; Timber Beech,  
 Sugar, W. Walnut, W. Oak &c. undergrowth. Spruce



East	Qua Random line between Sec. 14 & 23 T. 14 R. 4 N.
40.00	Set a temp. 7/4 sec. post
82.28	Intersected the N & S line 6 links South of the post corner of Sec. 13 14 23, & 24 Land level and rich; 2nd rate Timber Buck, Pop- lar &c undergrowth Spine.
West	On the true line between Sec. 14 & 23. T. 14 R. 4 N.
41.14	Set the temp. 7/4 post at the avor. dist on the true line for the cor of 1/4 sec. from which Buck 30 in. dia. bears. S 37 N. 34 links dist; for Lo. 6 " " " N 12 W. 24 " "
82.28	To the post corner of Sec. 14 15. 22, & 23.
North	Between Sec. 14 & 15 T. 14 R. 4 N.
26.50	To an Elm 30 in. dia. stands in the line.
40.00	Set a 7/4 sec. post from which Buck 12 in. dia. bears N 54 E. 13 links dist; for Sugar. 6 " " " N 89 W. 15 " "
60.00	To a Buck 30 in. dia. stands in the line.
80.00	Set a post for the cor. of Sec. 10. 11. 14 & 15 from which Buck 34 in. dia. bears. N 66 W. 20 links dist; and also Sugar. 5 " " " N 63 E. 40 " " Land level and rich; 1st rate; Timber Buck, Sugar, Walnut (W.) and ash; Undergrowth Spine.
East	Qua Random line between Sec. 11 & 14 T. 14 R. 4 N.
5.00	To a Spring Branch Corner N. W.
40.00	Set temp. 7/4 sec. post
54.50	To a Buck 10 links wide, Corner N. E.
75.00	" " " " " " " " N. W.
81.43	Intersected the N & S line 50 links South of the post cor. of Sec. 11. 12. 13 & 14

T. N<sup>o</sup> 14. N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Ind. 5

West On the true line between Sec. 11 & 14 T. N<sup>o</sup> 14. N.R. 4 W  
 40 7 1/2 Set the temporary post at the aver. dist on the true line for the  
 cor. of 1/4 sec. from which a  
 Beech 20 in. dia. bears N 35 E. 10 links dist; and a  
 Sugar — " " " S 41 E. 9 " "  
 81.43 To the first cor. of lat. 10. 11. 14 & 15

North Between Sec. 10 & 11 T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 4 W.  
 23.00 To a Beech 24 in. dia. stands in the line  
 40.00 Set a 1/4 sec. post from which a  
 Ironwood 4 in dia. bears N 42 E. 6 links dist; and a  
 Sugar 20 " " " N 77 W. 33 " "  
 60.00 To a Hackberry 20 in dia. stands in the line.  
 80.00 Set a post for the cor. of lat. 2, 3, 10 & 11 from which a  
 W. Oak 8 in dia. bears S 44 E. 19 links dist; and a  
 Hickory 6 " " " S 68 W. 40 " "  
 Land rolling and rich; Timber Beech, Sugar  
 and Walnut

East On a Random line between Sec. 2 & 11 T. N<sup>o</sup> 14 R. 4 W  
 0.05 At corner crosses a stream 100 links wide,  
 7.50 To a Brook 100 links wide, Course S.W.  
 40.00 Set a temporary post  
 80.50 Intersected the N.E. line 14 links North of the first  
 cor. of lat. 1, 2, 11 & 12  
 Land rolling and rich; Timber Beech, Sugar  
 and Walnut

West On the true line between Sec. 2 & 11 T. 14 R. 4 W  
 40.25 Set the temporary post at the aver. dist on the true  
 line from which a W. Walnut 36 in. dia. bears S 5 E. 38  
 links dist; and a W. Walnut 12 " " " N 17 W. 38  
 " " " " " " " " " "

80.50	To the cor. of sec. 2, 3, 10, & 11
North	Return Sec. 2, & 3 T. 14 N. R. 4 W.
0.05	To a Brook 100 links wide, Course S. W.
25.40	To a Sugar, 28 in. dia <sup>r</sup> in the line
40.00	Set a $\frac{1}{4}$ sec. post from which an W. Oak 38 in. dia <sup>r</sup> bears S 65 W. 5 links distant Sugar 10 " " " S 48 E. 6 " "
60.70	To a Sugar 12 in. dia <sup>r</sup> stands in the line.
77.50	Intersected the N. Boundary 137 links East of cor. of Sec. 34 & 35 T. 15 N. R. 4 W. and set a post for the cor. of Sec. 2 & 3 from which an W. Ash 10 in. dia <sup>r</sup> bears N 31 W. 58 links distant, Hickory 10 " " " S 36 E. 21 " " Saw a $\frac{1}{4}$ mile past bottom 2 <sup>nd</sup> & 3 <sup>rd</sup> grade; 2 <sup>nd</sup> & 3 <sup>rd</sup> Broken Timber, Beech, W. Oak, & Sugar.
North	Return Sec. 33 & 34 T. 14 N. R. 4 W.
25.76	To a Beech 15 in. dia <sup>r</sup> stands in the line
34.00	" " Brook 5 links wide, Course S. W.
40.00	Set a $\frac{1}{4}$ sec. post from which an Blue Ash 12 in. dia <sup>r</sup> bears N 25 E. 28 links distant, Sugar 14 " " " S 56 E. 36 " "
65.24	To a W. Oak 18 in. dia <sup>r</sup> in the line
80.00	Set a post for the cor. of Sec. 27, 28, 33 & 34 from which an Sugar 14 in. dia <sup>r</sup> bears S 55 E. 21 links distant, & Beech 39 " " " N 83 W. 24 " " Saw a rolling and broken 2 <sup>nd</sup> & 3 <sup>rd</sup> grade; Timber Beech, Sugar, & W. Oak; undergrowth Spruce.
Cash	On a Random line between Sec. 27 & 34 T. 14 N. R. 4 W.
40.00	Set a $\frac{1}{4}$ sec. temporary post
79.20	Intersected the N. & S. line 25 links South of the

## T. N. 14. N. R. N. 4 W. 2nd Mer Ind

cor of sec. 26. 27 33. &amp; 34

Land rolling and 2nd rate; Timber Beech,  
Sugar, and W Oak; undergrowth Spine.

West On the true line between Sec. 27. & 34 T. 14 N. 4 W.  
39.60 Set the temporary post at the av. dish in the true  
line from which a  
Sugar. 24 in. dia. bears N 30 W. 21 links dish to  
Do. 10 " " " S 5 W. 11 " "  
79.20 To the cor of sec. 27. 28. 33. & 34

North Between Sec. 27 & 28 T. 14 N. R. 4 W.  
30.00 To a Beech 24 in. dia. stands in the line  
40.00 Set a 1/4 sec. post from which a  
Sugar. 10 in. dia. bears N 62 W. 17 links dish to  
Beech. 5 " " " S 85 E. 6 " "  
68.20 To a Blue Ash 18 in. dia. stands in the line  
80.00 Set a post for the cor of sec. 21. 22, 27 & 28 from which a  
Sugar. 14 in. dia. bears N 62 E. 20 links dish to  
Do. 6 " " " S 25 W. 29 " "  
Land rolling and 2nd rate; Timber Beech, Su-  
gar, W Oak, & Poplar; undergrowth Spine and Hogswood

East On a Random line between Sec. 22. & 27 T. N. 14 R. 4 W.  
40.00 Set a 1/4 sec. temporary post  
79.38 Enter the N. E. line at the post corner of sec. 22,  
23, 26 & 27  
Land rolling and 2nd rate. Timber Beech, Sugar  
Poplar & W Oak; undergrowth Spine

West On the true line between Sec. 22 & 27 T. 14 N. 4 W.  
39.69 Set the temporary post at the av. dish in the true  
line for the cor of 1/4 sec. from which a



213

T. N. 14. N.R. N. 4 W. 2<sup>nd</sup> run Ind. ?

Elm 9 in. dia. bears N47 E. 22 links dish; and,  
 W. Walnut 10 " " N16 W. 18 " "  
 79.38 To the cor. off pt. 21. 22, 27. 128

North Return Sub. 21. 122 T. N. 14. N.R. 4 W.  
 21.50 To a Beech 20 in. dia. stands in the line.  
 40.00 Set a 7/8 sec. post from which a  
 Rhoe ash. 24 in. dia. bears N45 E. 8 links dish; to,  
 W. Walnut 12 " " " N62 W. 18 " "  
 80.00 Set a post for the cor. off pt. 15. 16. 21. 122 from which a  
 Beech. 20 in. dia. bears N77 E. 16 links dish; to,  
 Dg. 24 " " " N18 W. 27 " "  
 Lands rolling and 2<sup>nd</sup> oaks; Timber Beech, Su-  
 gar, & W. Oak Poplar to, midlength Spruce.

East On a Random line between Sub. 15. 122 T. 14 R. 4 W.  
 20.50 To a Spring branch, Oaks wide Course N.W.  
 40.00 Set a temp. 7/8 sec. post  
 80.00 Intersect the N.E. line 5 links South of the post  
 corner off pt. 14. 15. 22. 123  
 Lands R. 1/2 mile rolling and broken 2<sup>nd</sup> oaks.  
 2<sup>nd</sup> oaks level and 2<sup>nd</sup> oaks;  
 Timber Beech, Sugar, Poplar.

West On the true line between Sub. 15. 122 T. 14 R. 4 W.  
 40.00 Set the temp. 7/8 post at the aver. dish in the true line  
 for the cor. off 7/8 sec. from which a  
 Spruce 24 in. dia. bears N15 E. 14 links dish; to,  
 Sugar. 10 " " " N16 W. 40 " "  
 80.00 To the corner off pt. 15. 16. 21. 122

North Return Sub. 15. 116 T. N. 14. N.R. 4 W.  
 27.60 To a Hickory 12 in. dia. stands in the line



T. N<sup>o</sup> 14. N.R. N<sup>o</sup> 47. 2<sup>nd</sup> New End.

- 40.00 Set a 1/4 cu. post from which a  
 Hickory 14 in. dia. S 77.10 links dia; and a  
 W. Oak 24 " " " S 88 E. 19 " "  
 (67.50) To a Buck. 20 in. dia. in the line  
 80.00 Set a post for the cor. of sec. 9. 10. 15 & 16 from which a  
 Sugar. 12 in. dia. bear S 40 E 13 links dia; & a  
 Sycamore 30 " " " S 81 W. 18 " "  
 Land rolling and broken 2<sup>nd</sup> gate; Timber Buck,  
 Sugar, Hickory W. Oak, &c under the spur.

- East On a Random line between Sec. 10 & 15 T. 14 R. 4 W  
 15.50 To a Spring branch Course N.W.  
 29.50 " " " " " N  
 40.00 Set a temp 1/4 cu. post  
 80.30 Entered the N.S. line. 20 links South of the post  
 corner of sec. 10. 11. 14 & 15  
 Land rolling and broken; Timber Buck, Sugar  
 and W. Oak.

- West On the true line between Sec. 10 & 15 T. 14 R. 4 W  
 40.15 Set the temp 1/4 cu. post at the avor. dia. in the true  
 line from which a  
 Buck. 6 in. dia. bear S 20 E 13 links dia; & a  
 Sugar. 12 " " " S 43 W. 14 " "  
 80.30 To the cor. of sec. 9. 10. 15. & 16.

- North Between Sec. 9. & 10 T. N<sup>o</sup> 14. N.R. N<sup>o</sup> 47  
 21.56 To a Buck. 18 in. dia. in the line  
 34.50 To a Branch. Course W  
 40.00 Set a 1/4 cu. post from which a  
 Buckeye 10 in. dia. bear S 59 W. 25 links dia.  
 Va. L. 8 " " " N 62 E. 30 " "  
 57.50 To a Brook 100 links wide; Course S.W.

T. N<sup>o</sup> 14. N. R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Sid<sup>er</sup>

66.50	To a W. Oak 30 in. dia. Stands in the line
80.00	Set a post for the cor. of sec. 3, 4, 9, & 10 from which a Sugon. 12 in. dia. bears N 53 E. 19 links dish; & a Loc. 5 " " " S 80 W. 30 " "
	Sound 1 <sup>st</sup> 1/2 mile past bottom and past bottom 2 <sup>nd</sup> 1/2 mile same Timber Beech, Sugar Poplar, etc. Undergrowth Spin.
East	On a Random line between Sec. 3 & 10 T. N <sup>o</sup> 14 R. 4 W.
46.00	Set a timber 7 1/4 cu. post
67.50	To stream 100 links into Corner S. W.
80.50	Intersect the N. & S. line 40 links South of the post cor. of sec. 2, 3, 10, & 11 Sound very hilly and broken; Timber Beech, Hickory and W. Oak &c.
West	On the true line between Sec. 3 & 10 T. N <sup>o</sup> 14 R. 4 W.
40.25	Set the timber 7 1/4 cu. post at aver. dist on the true line for the cor. of 74 cu. from which a Sugon. 18 in. dia. bears S 67 W. 25 links dish; and a Elm 10 " " " N 46 E. 30 " "
80.50	To the corner of sec. 3, 4, 9, & 10
North	Between Sec. 3 & 4 T. 14 N. R. 4 W.
12.50	To a W. Oak 30 in. dia. Stands in the line
40.00	Set a 74 cu. post from which a Sugon. 15 in. dia. bears N 17 E. 17 links dish; & a Loc. 16 " " " S 5 W. 25 " "
75.75	To a Beech. 15 in. dia. in the line
79.37	Intersect the N. Boundary 104 links East of the post corner of sec. 33 & 34. T. 15 N. R. 4 W. and set a post for the corner of sec. 3 & 4 from which a Beech. 10 in. dia. bears S 85 W. 10 links dish; & a

T. No 14. N.R. No 4 W. 2<sup>nd</sup> Mer. Ind.

Ironwood 8 in. dia: bears N 54 E. 10 links dia; to  
Sands 1<sup>st</sup> 1/2 mile broken 2<sup>nd</sup> rate; 2<sup>nd</sup> 1/2 same  
Timber Beech, Sugar, & W Oak, &c. undergrowth Spirit

North Return Sec. 32 & 33. T. 14 N. R. 4 W.

20.40 To a Wick 18 in. dia: in line.

40.00 Set a 1/4 sec. post from which a  
Sugar 12 in. dia: bears N 77 W 8 links dia; to  
Walnut 12 " " S 80 E. 19 " "

57.00 To a Brook 10 links wide, corner S. W.

57.72 " " Sugar 18 in. dia: in line

80.00 Set a post for the cor. of sec. 28, 29, 32, & 33 from which  
Cherry 4 in. dia: bears N 72 W 21 links dia; to  
Buckeye 3 " " " N 82 E 23 " "  
Sands rolling and rich; Timber B & W. Walnut, Su-  
gar Beech, Ash, &c. undergrowth Spruce & Pawpaw

East On a random line between Sec. 28 & 33. T. 14 N. R. 4 W.

40.00 Set a temporary 1/4 sec. post

80.06 Intersub the N & S line 54 links North of the post cor.  
of Sec. 27, 28, 33 & 34

Sands rolling and rich; Timber B & W. Walnut, Beech,  
Poplar, &c. undergrowth Spruce & Pawpaw

West On the true line between Sec. 28 & 33. T. 14 N. R. 4 W.

40.03 Set the temporary post at the above dist on the true line  
for the cor. of 1/4 sec. from which a

Buckeye 2 in. dia: bears S 32 E. 17 links dia; to  
W. Walnut 6 " " " N 21 E 30 " "

80.06 To the cor. of sec. 28, 29, 32, & 33.

North Return Sec. 28 & 29 T. No 14 N. R. 4 W.

25.20 To an Ash 18 in. dia: in the line

T. N. 14. R. 4 W. 2nd Mer. Ind.

31.50	To a Brook 8 links wide, Course S.W.
40.00	Set a $\frac{1}{4}$ sec. post from which a Beech 12 in. dia. bears S 80 W. 30 links dist; & a Do. 12 " " " S 79 E. 15 " "
59.12	To a Sugar 36 in. dia. in the line
66.00	To a Brook 8 links wide, Course S.W.
80.00	Set a post for the cor. of sec. 20. 21. 28. & 29 from which a Sugar 14 in. dia. bears S 77 W. 15 links dist; and a Do. 14 " " " N 20 E. 24 " "
	Land is $\frac{1}{2}$ mile rolling and rich; Timber N & B. Walnut; Ash, Beech, &c. 2nd $\frac{1}{2}$ rolling and 2nd rate; Timber Beech, Sugar, Oak, &c. Underbrush and fallen timber of all descriptions

East	On a Random line between Sec. 21 & 28 T. 14 R. 4 W.
40.00	Set a temp. $\frac{1}{4}$ sec. post
60.08	To a Brook 5 links wide, Course S.W.
62.40	To a Spring.
80.24	Intersect the N & B line 7 links south of the post cor. of sec. 21. 22, 27 & 28. Land rolling and good 2nd rate; Timber Beech, N & B Walnut, Sugar, Poplar, Ash Underwood Spruce Fir and fallen timber

West	On the true line between Sec. 21 & 28 T. 14 R. 4 W.
40.12	Set the temp. $\frac{1}{4}$ post at the cor. dist. on the true line for the corner of $\frac{1}{4}$ sec. from which a Beech 6 in. dia. bears S 46 W. 14 links dist; & a N Walnut 4 " " " N 63 W. 25 " "
80.24	To the cor. of sec. 20. 21. 28. & 29

North	Between Sec. 20. & 21 T. N. 14 R. 4 W.
16.50	To a Beech 12 in. dia. in the line

Ja.

Con



## T. N. 14. N. R. 4. 4. 2nd Mer. Ind.

- 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Elm 8 in. dia. bears N 63 W. 49 links dist; and a  
 Sugar 20 " " " South -
- 50.50 To a Buck. 12 in. dia. in line
- 80.00 Set a post for the cor. of Sec. 16. 17. 20. & 21 from which  
 Buck. 18 in. dia. bears S 52 W. 25 links dist; to  
 Gum 10 " " " N 53 E. 38 " "  
 Land rolling and broken 2<sup>nd</sup> rate; 2<sup>nd</sup>  $\frac{1}{4}$   
 mile down Timber Buck, Oak. 1 Poplar, Sugar  
 undergrowth Spruce.

- East Quaker dam line between Sec. 16 & 21 T. 14 R. 4 W.
- 40.00 Set a stump  $\frac{1}{4}$  sec. post.
- 80.00 Intersect the N 53 line 60 links South of the post  
 corner of Sec. 15. 16. 21. & 22  
 Land rolling 2<sup>nd</sup> rate; Timber N. 53 Walnut  
 Buck, Sugar, Poplar, Oak. 1, undergrowth Spruce

- West On the true line between Sec. 16. & 21. T. 14 N. R. 4 W.
- 40.00 Set the stump post at the average dist. on the true  
 line for the cor. of  $\frac{1}{4}$  sec. from which a  
 N Walnut 14 in. dia. bears N 36 W. 3 links dist  
 Sugar. 12 " " " S 5 E. 39 " "
- 80.00 To the post corner of Sec. 16. 17. 20. & 21.

- North Between Sec. 16. & 17 T. 14 N. R. 4 W.
- 17.50 To a Buck. 24 in. dia. Stand on line
- 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Buck. 20 in. dia. bears S 79 E. 17 links dist; and a  
 Hick 14 " " " N 48 W. 6 " "
- 55.00 To a Sugar. 12 in. dia. in the line
- 80.00 Set a post for the cor. of Sec. 8. 9. 16. & 17 from which  
 N Walnut 28 in. dia. bears N 57 W. 15 links dist

I. N. 14 N.R. N. 4 W. 2<sup>nd</sup> Mer. Sud.

Buckeye 7 in. dia. bears S 79 E. 10 links dish  
 Sand 1<sup>st</sup> 1/2 mile rolling and 2<sup>nd</sup> rate; 2<sup>nd</sup> 1/2  
 part bottom and good 2<sup>nd</sup> rate;

Timber Beech, Sugar, W. Oak, Walnut, Hack-  
 berry & undergrowth Pawpaw & Spice.

East C. at Random line between Sud. 9. 146. S 14 N. 4 W.  
 40.00 Set a temp. 1/4 sec. post.

8014 Intersected the N. R. S. line 68 links South of the post,  
 corner of sec. 9. 10. 15 & 16.

Sand rolling and with good 2<sup>nd</sup> rate

Timber Walnut, Beech, Sugar, & W. Oak; undergrowth Spice

West C. at Random line between Sud. 9. 146. S 14 N. 4 W.

40.07 Set the temp. 1/4 post at the corr. dist. on the true line for  
 the cor. of 1/4 sec. from which a

Buckeye 14 in. dia. bears N 54 W. 15 links dish; &

Elm 18 " " " S 43 E. 20 " "

8014 To the post corner of sec. 8. 9. 16 & 17.

North Between Sud. 8. 149 S 14 N. 4 W.

17.50 To a Sugar. 20 in. dia. stands in the line.

32.83 To a Crank 100 links mid. Course S. W.

40.00 Set a 1/4 sec. post from which a

Sugar 10 in. dia. bears N 84 W. 11 links dish; & a

Buckeye 12 " " " S 12 E. 20 " "

66.50 To a Beech 12 in. dia. in the line.

80.00 Set a post for the corner of sec. 4. 5. 8. & 9 from which a

Amurade 7 in. dia. bears S 33 W. 6 links dish; & a

Elm 7 " " " N 77 E. 11 " "

Sand 1<sup>st</sup> 1/2 mile bottom good 2<sup>nd</sup> rate; 2<sup>nd</sup> 1/2 very

hilly and broken; Timber 1/3 Walnut, Ash, W. Oak,

Poplar, Hackberry and Sugar, Undergrowth Spice & Pawpaw.

T. N. 14. R. 4 N. 2<sup>nd</sup> Mer. Ind.

East  
31.50 On a Random line between Sec. 4 & 9 T. 14 R. 4 N.  
To a Brook. 4 links wide, Course S. W.  
40.00 Set a temporary 74 cu. post  
42.50 To a Brook. 15 links wide, Course S. W.  
80.69 Intersect the N. & S. line 18 links South of the post cor.  
of Sec. 3, 4, 9 & 10  
Land rolling and broken, Timber, Birch, W. Oak  
Sugar and Poplar, &c. under the Spruce.

West  
40.34 p On the true line between Sec. 4 & 9 T. 14 R. 4 N.  
Set the temporary post at the corner on the true line  
for the cor. of 74 cu. from which are  
Elm 16 in. diam. bears S. 60 W. 14 links dist. and a  
No. 12 " " " N. 84 E. 17 " "  
80.69 To the cor. of Sec. 4, 5, 8 & 9.

North  
18.00 Between Sec. 4 & 5 T. N. 14. R. 4 N.  
To a Poplar, 28 in. diam. in line.  
40.00 Set a 74 cu. post. from which are  
Ash. 20 in. diam. bears S. 43 E. 26 links dist.; & a  
Sugar. 12 " " " N. 60 W. 13 " "  
57.75 To a Birch. 30 in. diam. stands in the line.  
81.76 Intersected the N. Boundary 124 links East of the  
post cor. of Sec. 32, 133 T. 15 R. 4 N. and set a post  
for the cor. of Sec. 4 & 5 from which are  
Hickory 12 in. diam. bears S. 81 E. 19 links dist.; & a  
Birch. 12 " " " N. 53 E. 24 " "  
Land 1<sup>st</sup> 1/2 mile hilly and broken; 2<sup>nd</sup> rolling  
and 2<sup>nd</sup> 1/2 mile; Timber W. Oak & Birch & Sugar,  
under the Spruce &c.

North  
16.50 Between Sec. 31 & 32 T. N. 14. R. 4 N.  
To a Hickory 18 in. diam. in the line.

221

I No 14. N.R. No 4 N. 2nd Run Sida.

40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Buck. 20 mi. dist. bears N 64 W. 19 links dist; and on  
 L.O. 12 " " " S 76 E. 25 " "  
 46.75 To a Spring branch, course N.W.  
 58.30 To a Buck. 12 mi. dist. in the line.  
 80.00 Set a post for the cor. of Sec. 29. 30. 31. & 32 from which  
 Elm. 7 mi. dist. bears S 28 W. 6 links dist; and on  
 W. Walnut 7 " " " N 46 E. 4 " "  
 Sande N.  $\frac{1}{2}$  mile rolling grade 2nd rate; 2nd of same  
 Timber Sugar, Buck, Walnut Oak, & Poplar.  
 Undergrowth Spice Gr.

East On a Random line between Sec. 29. & 32 T. 14 R. 4 W.  
 58.00 To a Spring Branch, 8 links mid. Course S.E.  
 40.00 Set a temporary  $\frac{1}{4}$  sec. post  
 79.17 Intolated the N.B. line 59 links North of the post  
 corner of Sec. 28. 29. 32 & 33.  
 Sande rolling grade 2nd rate; Timber Buck, Sugar, W. Oak,  
 Walnut, & undergrowth Spice.

West On the true line between Sec. 29. & 32 T. 14 R. 4 W.  
 39.58  $\frac{1}{2}$  Set the temporary post at the av. dist. in the true line for the  
 cor. of  $\frac{1}{4}$  sec. from which a  
 Sugar. 18 mi. dist. bears S 24 E. 40 links dist; and on  
 Buck. 10 " " " N 4 E. 23 " "  
 79.17 To the post corner of Sec. 29. 30. 31. & 32.

North Between Sec. 29. & 30 T. 14 N. R. 4 W.  
 15.00 To a Spring branch S.W.  
 20.00 To an Ironwood 8 mi. dist. in the line  
 36.50 To a Spring Branch. S.W.  
 40.00 Set a  $\frac{1}{4}$  sec. post from which a  
 Sugar. 18 mi. dist. S 35 E. 20 links dist; and on



## T. N. 14. N. R. No. 4 N. 2nd Mer. Ind.

	Sugar. 9 in. dia: bears N 40 E. 18 links curb;
49.50	To a Buck 30 in. dia: in line
80.00	Set a post for the cor. of Sec. 19 20. 29 & 30 from which run Ash 12 in dia: bears N 73 W. 25 links curb; and a Hack 14 " " " S 31 E. 13 " " Sand rolling and 2 <sup>nd</sup> rate; Timber Buck, Sugar, Walnut, Oak, &c under the Spruce
East	On a Random line between Sec. 20 & 29 T. 14 N. R. 4 W
40.00	Set a temporary post
79.13	Intersected the N & S line 72 links North of the post corner of Sec. 20-21-28 & 29 Land part hilly and part rolling; Timber Buck, Sugar and Oak, under the Spruce.
West	On the true line between Sec. 20 & 29 T. 14 N. R. 4 W
39.56 p	Set the temporary post at the corner with in the true line from which a Buck 10 in dia: bears N 7 E 43 links curb; & a Spruce 9 " " " S 7 E 17. " "
79.13	To the corner of Sec. 19. 20. 29 & 30
North	Between Sec. 19 & 20 T. 14 N. R. 4 W
36.00	To a Cottonwood 16 in. dia: in the line
87.00	To a Buck 100 links only, corner S W.
40.00	Set a post from which a Maple 6 in dia: bears N 97 W. 56 links curb; and a Sycamore 6 " " " S 77 W. 55 " "
63.60	To a Buckeye 12 in. dia: in the line
80.00	Set a post for the cor. of Sec. 17 18. 19 & 20 from which a Buck 12 in. dia: bears N 20 E. 26 links curb; and a Hackberry 6 " " " S 35 W. 7 " " Land R <sup>ty</sup> & mild rolling; 2 <sup>nd</sup> & 3 <sup>rd</sup> part bottom; good 2 <sup>nd</sup> rate; Timber Walnut, Sugar, Oak, Poplar, & Spruce

T. N. 14. N. R. N. 47. 2<sup>nd</sup> Mer. Sec. a

East On a Random line between Sec. 17 & 20 T. 14 N. R. 4 W.  
 4.20 To a Creek 100 links wide, Course S. W.  
 40.00 Set a temporary post.  
 77.62 Entered the N. E. line 21 links North of the cor. of Sec. 16. 17. 20. & 21.  
 Land rolling and 2<sup>nd</sup> rate; Timber Birch, Sugar, maple, poplar, &c. including the Spruce.

West On the true line between Sec. 17 & 20 T. 14 N. R. 4 W.  
 38.86 Set the temporary post at the corner. Ash on the true line from which a Buck. 24 in. diam. bears N. 54 E. 29 links due S. and a Sugar. 10 " " " N. 28 W. 17 " "  
 77.62 To the first corner of Sec. 17. 18. 19 & 20

North Between Sec. 17 & 18 T. 14 N. R. 4 W.  
 11.50 To an Ash. 20 in. diam. in line.  
 21.00 To a spring branch, Course N. E.  
 40.00 Set a post from which a Sugar. 18 in. diam. bears N. 15 E. 34 links due S. and a Ho. 8 " " " S. 55 E. 17 " "  
 56.50 To a Buckeye 12 in. diam. in line.  
 80.00 Set a post for the corner of Sec. 7. 8. 17. 18 from which a Buck. 18 in. diam. bears N. 40 E. 12 links due S. and a Ho. 30 " " " S. 60 W. 26 " "  
 Land R. & 1/2 mile bottom; 2<sup>nd</sup> of broken 2<sup>nd</sup> rate; Timber N. Oak Walnut and Sugar, Wild. Pear, paw.

East On a Random line between Sec. 8 & 17 T. 14 N. R. 4 W.  
 18.50 To a spring branch, Course S. W.  
 40.00 Set a temporary post.  
 53.00 To a Creek 100 links wide, Course S. W.  
 59.00 " " " 100 " " " N. W.  
 67.00 " " " 100 " " " South

## T. N. 14. R. 4. W. 2nd Mer Ind.

77.57 Intersection the N & S line 10 links South of the cor. of  
Sec. 8. 9. 16 & 17

Sand rolling and 2<sup>nd</sup> grade; Timber Birch, Sugar  
and W Oak, Undergrowth Spruce &c.

West On the true line between Sec. 8 & 17 T. 14 R. 4 W.

38.787 Set the true 7/4 Sec. post at the av. dish on the true line from  
which a Sugar 20 in. dia. bears N 14° 0' 3" links dish;  
and a Birch 24 " " " S 7° E 41 " "

77.57 At the cor. of Sec. 7. 8. 17. & 18

North Between Sec. 7 & 8 T. N. 14 R. 4 W.

14.50 To a B Oak 24 in. dia. stands on the line

40.00 Set a 7/4 Sec. post from which a

B Walnut 30 in. dia. bears N 75° W. 17 links dish; to a  
Sugar 10 " " " S 48° E 19 " "

50.00 To a Brook 10 links wide, Course S. E.

54.08 To a W Oak 16 in. dia. stands on the line.

80.00 Set a post for the cor. of Sec. 5, 6, 7, & 8 from which a

Hickory 8 in. dia. bears N 22° E 13 links dish; and a  
B Oak 12 " " " S 13° W 11 " "

Sand rolling and broken 2<sup>nd</sup> grade  
Timber Birch, Sugar, W Oak, &c Undergrowth Spruce  
Undergrowth Spruce &c

East On a Run a mile between Sec. 5 & 8 T. N. 14 R. 4 W.

2.00 To a Spring branch Course S. W.

40.00 Set a true 7/4 Sec. post

78.25 Intersection the N & S line 40 links South of the cor. of Sec.  
4. 5. 8. & 9.

Sand rolling and 2<sup>nd</sup> grade; Timber Birch, Sugar,  
W Oak, &c Undergrowth Spruce.

223

T. N<sup>o</sup> 14. N.R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

West  
39.12<sup>h</sup> Contn line between Lot 5 & 8 T. 14 R. 4 W  
Set the trip 7 1/4 sec. Post at the cor. ash on the line from  
which a Sugar 12 in. dia: bears N 18 W 17 links ash;  
and a Buck 15 " " " S 12 W. 44 " "  
78.25 To the post corner of Lot 5, 6, 7 & 8

North  
14.20 Return Lot 5 & 6. T. N<sup>o</sup> 14. N.R. N<sup>o</sup> 4 W  
To an Elm 20 in. dia: in the line.  
40.00 Set a 7 1/4 sec. Post from which an  
Ash 18 in. dia: bears S 62 W. 28 links ash; and a  
Buck 14 " " " N 51 E. 24 " "  
50.00 To a Brook 6 links wide, Crosses West  
64.20 " " Hickory 14 in dia: stands in the line  
83.00 Intersected the N. Boundary 259 links East of the  
Post corner of Lot 31. 132 T. 15 N.R. 4 W and set a  
Post for the cor. of Lot 5, 6 from which a  
Buckeye 10 in dia: bears N 32 W 6 links ash; and a  
Sugar 6 " " " N 61 E. 5 " "  
Shade R<sup>h</sup> broken; 2<sup>nd</sup> p rolling 2<sup>nd</sup> grade;  
Timber Oak and Buck, by mag<sup>th</sup> Spruce.

West  
16.00 Return Lot 30. 131 T. 14 R. 4 W  
To a Sugar 20 in dia: stands in the line  
40.00 Set a 7 1/4 sec. Post from which a  
Buck 6 in. dia: bears N 86 W. 8 links ash; and a  
Co. 6 " " " S 4 E. 6 " "  
61.71 Intersected the West Boundary 94 links South of the cor.  
of Lot 25 136 T. 14 N.R. 5 W and set a Post for the  
cor. of Lot 30. 131 from which a  
Buck 12 in. dia: bears N 5 W. 14 links ash; and a  
Sugar 18 " " " " S 15 E. 20 " "  
Timber fallow. unangrowth of Every description



T. N. H. S. R. N. 47. 2<sup>nd</sup> Run Ind.

West Between Sec. 19 & 30 T14 R47  
 8.00 To a R. Oak 24 in dia<sup>r</sup> in the line  
 25.00 To a Brook 100 links mid. Course E. W.  
 40.00 Set a p.s. post from which a  
 Sugar 14 in dia<sup>r</sup> bears N60 W. 31 links dist; and a  
 Hackberry 10 " " S57 N. 24 " "  
 61.50 Entered the West Boundary 36 links South of the  
 post corner of Sec. 24 & 25 T14 R5 W. and set  
 a post for the cor of Sec. 19 & 30 from which a  
 Buck 10 in dia<sup>r</sup> bears N43 W. 5 links dist; & a  
 Ho. 30 " " " N63 E. 27 " "  
 Sand & p. mile rolling; 2<sup>nd</sup> p. part bottom  
 Timber Walnut, Sugar, Oak, W Oak, Mary<sup>th</sup> Spruce

West Between Sec. 18 & 19 T14 R4 W  
 24.12 To a Buck 18 in dia<sup>r</sup> in the line  
 30.00 " Spring Course N. E.  
 40.00 Set a p.s. post from which a  
 Hackberry 12 in dia<sup>r</sup> bears S25 E. 17 links dist; & a  
 Buck 10 " " " S25 N. 16 " "  
 61.50 Entered the West Boundary 93 links South of the  
 cor of Sec. 13 & 24 T14 R5 W and set a post  
 for the cor of Sec. 18 & 19 from which a  
 Sugar 8 in dia<sup>r</sup> bears N52 E. 6 links dist; and a  
 Oak 24 " " " S15 N. 34 " "  
 Sand rolling and much 2<sup>nd</sup> p. val; Timber Walnut  
 Buck, Sugar, Oak, & Maryland Spruce.

West Between Sec. 7 & 18 T14 R4 W  
 14.25 To a W Oak 24 in dia<sup>r</sup> in the line.  
 40.00 Set a p.s. post from which a  
 W Oak 30 in dia<sup>r</sup> bears N46 E. 29 links dist  
 & a Sugar 8 " " " S40 N. 16 " "  
 Sand part rolling and broken Timber W Oak

227

T. N<sup>o</sup> 14. N. R. N<sup>o</sup> 4 W. 2<sup>nd</sup> Mer. Ind.  
 Buck, Sugar, to measure Spine.

Net Return, Sec. 6 & 7 T. 14 N. R. 4 W.  
 14.00 To a Sugar. 12 in. diam. in line  
 4000 Set a 14 foot from which a  
 Buck. 24 in diam. bears West 26 inch east; to  
 Sugar. 20 " " " N 52; 44. 26 in "  
 61.52 Submet the West Boundary 211 lbs South of the  
 corner of Sec. 1 & 12 T. N<sup>o</sup> 14. N. R. 5 W. and set a  
 post for the cor. of Sec. 6 & 7 from which a  
 Buck 10 in diam. bears N 40 E. 23 inches; to a  
 Sugar 10 " " " N 12 E. 24 " "  
 Underlying and above Ind. rate; Timber N Oak  
 Sugar Buck, Walnut. ash. to 1/2 Spine.

Surveyed by  
 John Collett D.S.

I certify that the foregoing Transcript of the field  
 notes of Township N<sup>o</sup> 14. North of Range N<sup>o</sup> 4  
 West of the 2<sup>nd</sup> Principal Meridian in Indiana,  
 has been compared with the Original notes in this  
 Office and found to be correct.

Surveyor General's Office,  
 Cincinnati March 25. 1844

J. S. Haines  
 Sur. Genl.